

DALY, CROWLEY, MOFFORD & DURKEE, LLP

354A Turnpike Street - Suite 301A  
CANTON, MASSACHUSETTS 02021-2714

TELEPHONE: 781-401-9988

FACSIMILE: 781-401-9966

CHRISTOPHER S. DALY  
JUDITH C. CROWLEY  
DONALD F. MOFFORD  
PAUL D. DURKEE

KERMIT ROBINSON  
ANTHONY T. MOOSEY

---

OF COUNSEL  
MARIANNE M. DOWNING

December 20, 2007

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RE: U.S. Patent of David S. Tuch, et al.  
Patent No.: 7,034,531  
Issued on: April 25, 2006  
Entitled: DIFFUSION MRI USING SPHERICAL SHELL SAMPLING  
U.S. Appl. No.: 10/754,481  
Our Ref. No.: MGH-027AUS

Dear Sirs:

Enclosed is a copy of Form PTO/SB/44. It is requested that a Certificate of Correction be issued to correct the listed mistakes in the above-identified patent.

Authorization to charge the payment of \$100.00 to cover the cost of the Certificate of Correction in accordance with 37 C.F.R. § 1.20(a) is hereby given and please charge Deposit Account 50-0845.

Very truly yours,

/csd/

Christopher S. Daly  
*csd@dc-m.com*

CSD/mhw  
Enclosures  
35335.doc